

PARK BENCH Palm Tree Design



ASSEMBLY INSTRUCTIONS





3491 Mission Oaks Blvd., Camarillo, CA 93011 Visit our Web site at http://www.harborfreight.com

Copyright © 2003 by Harbor Freight Tools®. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools.

For technical questions please call 1-800-444-3353

SPECIFICATIONS

Item	Discription
Construction	Cast-Iron Frame w/Bronze Finish
Finish Slats	Varnished Wooden Slats, Teak Wood
Design	Palm Tree Pattern Bronze and Black Detailing
Overall Dimensions	49-5/8"L X 33-7/8"W X19-3/8"H
Weight	79.36 Lbs.
Weight Capacity	300 Lbs.

SAVE THIS MANUAL

You will need the manual for the safety warnings and precautions, assembly instructions, operating and maintenance procedures, parts list and diagram. Keep your invoice with this manual. Write the invoice number on the inside of the front cover. Keep the manual and invoice in a safe and dry place for future reference.

SAFETY WARNINGS AND PRECAUTIONS

- KEEP PRODUCT USAGE AREA CLEAN. Cluttered areas invite injuries. Place product on flat, level surface such as carpet or grass. Concrete could injure people if Bench is tipped over.
- 2. **KEEP CHILDREN AWAY FROM PRODUCT DURING ASSEMBLY.** Two adults are better at assembling this product. Do not allow children to use until all hardware in this product is fully assembled and tightened. Be careful not to pinch fingers between slats.
- 3. **DO NOT ATTEMPT TO ASSEMBLE THIS PRODUCT IF UNDER THE INFLU- ENCE OF ALCOHOL OR DRUGS.** Read warning labels on prescriptions to determine if your judgement or reflexes are impaired while taking drugs. If there is any doubt, do not attempt to assemble this product.
- 4. **USE EYE PROTECTION.** Wear ANSI approved safety impact goggles when assembling this products. Goggles are available from Harbor Freight Tools.
- 5. **PERIODICALLY CHECK.** Check Bolts and Nuts to be sure hardware has not loosened.
- 6. **STAY ALERT.** Watch what you are doing at all times. Use common sense. Do not assemble this product when you are tired or distracted from the job at hand.
- 7. **CHECK FOR DAMAGED PARTS.** Before using this product, carefully check that it will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect its operation. Replace or repair damaged or worn parts immediately.

SKU 90317 PAGE 2

- 8. **REPLACEMENT PARTS AND ACCESSORIES.** When servicing, use only identical replacement parts. Only use accessories intended for use with this product. Approved accessories are available from Harbor Freight Tools.
- 9. **THIS PRODUCT IS MANUFACTURED OF CAST IRON.** Do not force any part of the assembly and do not overtighten the bolts. Serious damage can occur. Do not stand on this Bench. Use only for intended purpose. The Park Bench is made for adults. Children need to be supervised. Injury could occur if Park Bench is overloaded. Use caution!
- 10. **RECOMMENDED AGE APPROPRIATE USE** over 10 years of age unless accompanied by an adult. Maximum weight for Bench recommended is 300 lbs.

UNPACKING

When unpacking, check to make sure all parts shown on the Parts List (page 5) are included. If any parts are missing or broken, please call Harbor Freight Tools at the number shown on the cover of this manual as soon as possible.


ASSEMBLY INSTRUCTIONS

We suggest you assemble the unit on a soft surface to avoid damage to the finish.

ASSEMBLY OF BENCH


1. Assemble the five Seat Slats (#1) to the Cast Iron End Pieces-Right and Left (#2). Attach with ten Bolts and Nut Pairs (#3). Hand tighten. **See Figure 1 & 2.**

Note: It may become necessary to enlarge the holes in the End Pieces (#2). Clear the hole of paint by sliding a bolt through the hole or using a drill with a bit notched to the hole size.




SKU 90317 Page 3

2. Attach the Seat Support Bracket (#5) to the center underside of the Seat Slats (#1) with the Wood Screws (#6). Tighten self tapping Wood Screws. **See Figure 3.**



3. Attach the Seat Back Assembly (#4) to the brackets on the Cast Iron Ends (#2) with hardware Bolts (#3) (on front of Bench) and Nut (#3) (on back of Bench). Repeat on opposite end of Bench. **See Figure 4 & 5.**




4. Tighten Nuts (#3) after assembling the Side Brackets. Tighten **ALL** the hardware at this time. Test the Park Bench before using. Park Bench should sit firmly on a flat level surface.

PARTS LIST

PART#	DESCRIPTION	QTY
1	Seat Slats	5
2	Cast Iron Ends	2
3	Bolt and Nuts Pairs	14
4	Seat Back Assembly	1
5	Seat Support Bracket	1
6	Wood Screws	5

ASSEMBLY ILLUSTRATION



MAINTENANCE

1. For better and safer performance, keep all parts of this product clean and dry at all times.

THE MANUFACTURER AND/OR DISTRIBUTOR HAS PROVIDED THE PARTS DIAGRAM IN THIS MANUAL AS A REFERENCE TOOL ONLY. NEITHER THE MANUFACTURER NOR DISTRIBUTOR MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND TO THE BUYER THAT HE OR SHE IS QUALIFIED TO MAKE ANY REPAIRS TO THE PRODUCT OR THAT HE OR SHE IS QUALIFIED TO REPLACE ANY PARTS OF THE PRODUCT. IN FACT, THE MANUFACTURER AND/OR DISTRIBUTOR EXPRESSLY STATES THAT ALL REPAIRS AND PARTS REPLACEMENTS SHOULD BE UNDERTAKEN BY CERTIFIED AND LICENSED TECHNICIANS AND NOT BY THE BUYER. THE BUYER ASSUMES ALL RISK AND LIABILITY ARISING OUT OF HIS OR HER REPAIRS TO THE ORIGINAL PRODUCT OR REPLACEMENT PARTS THERETO, OR ARISING OUT OF HIS OR HER INSTALLATION OF REPLACEMENT PARTS THERETO.